

Vol. XVII

1947

THE
INDIAN JOURNAL
OF
AGRICULTURAL SCIENCES

Issued under the authority

of

The Indian Council of Agricultural Research



सत्यमेव जयते

PUBLISHED BY THE MANAGER OF PUBLICATIONS, DELHI
PRINTED BY THE GOVERNMENT OF INDIA PRESS, CALCUTTA, INDIA,
1950

Price : Rs. 1-4 or 2sh.

ICAR. 17. XVII.
600.



CONTENTS OF VOLUME XVII

PART I (FEBRUARY, 1947)

ORIGINAL ARTICLES

	PAGE
STUDIES IN GANGETIC ALLUVIUM OF UNITED PROVINCES, II. SOILS OF SANDILA <i>Tahsil</i> IN HARDOI DISTRICT (WITH ONE TEXT-FIGURE)	<i>B. K. Mukerji and R. R. Agarwal</i> 1
THE EFFECT OF MANURING AND CROPPING ON THE VERTICAL DISTRIBUTION OF CARBONATES IN PUSA CALCAREOUS SOILS (WITH THREE TEXT-FIGURES)	<i>S. Das</i> 14
THE BIOLOGICAL DECOMPOSITION OF GREEN MANURES, III. THE CHEMICAL CHARACTER OF HUMUS IN COMPOST HEAPS	<i>J. G. Shrikhande</i> 25
THE BIOLOGICAL DECOMPOSITION OF GREEN MANURES, IV. LOSS OF LIGNIN DURING AEROBIC FERMENTATION	<i>J. G. Shrikhande</i> 32
CITRUS PROPAGATION STUDIES—THE INFLUENCE OF DIFFERENT METHODS OF BUDDING, AFTER-TREATMENTS AND ROOTSTOCK VIGOUR ON BUD-BREAK, BUD-TAKE, HISTOLOGY OF BUD-UNION AND SIZE OF BUDLINGS IN CASE OF SWEET ORANGE, MANDARIN AND SOUR LIME (WITH PLATES I AND II)	<i>Kartar Singh and Sham Singh</i> 34
A NOTE ON THE PREDICTION OF SPINNING VALUE OF GAORANI (BANI) COTTONS	<i>P. D. Gadkari and Nazir Ahmad</i> 55
ABSORPTION POWER OF PLANT MATERIALS (WITH TWO TEXT-FIGURES)	<i>L. D. Mahajan</i> 58

SELECTED ARTICLE

DEODORIZATION OF SYRUP MADE FROM KHANDSARI MOLASSES AND <i>Gur</i> (WITH ONE TEXT-FIGURE)	<i>J. G. Shrikhande</i> 63
---	----------------------------

REVIEW

- SOME BRITISH BOOKS ON AGRICULTURE,
NUTRITION, FORESTRY AND RELATED
SCIENCES, 1939-1945 68

PLANT QUARANTINE NOTIFICATIONS

PART II (APRIL, 1947)

ORIGINAL ARTICLES

- A STUDY ON THE EFFECT OF CULTURAL FACTORS IN TRANSPLANT PADDY ON THE BEHAVIOUR OF SOME PLANT CHARACTERS INFLUENCING THE YIELD (WITH ONE TEXT-FIGURE) *S. Hedayetullah, K. P. Roy and S. Sen* 69
- A NEW SIMPLE METHOD OF ESTIMATING THE MOISTURE CONTENT OF SOIL *in situ* (WITH FOUR TEXT-FIGURES) *A. U. Momin* 81
- METHODS AND FACTORS THAT ENABLE A PLANT TO WITHSTAND TRANSPLANTING *Bir S. Bhandall* 86
- VARIETIES OF LUCERNE (*Medicago sativa*) FOR CULTIVATION IN THE PUNJAB (WITH TWO TEXT-FIGURES) *H. R. Saini and H. C. Malik* 94
- A PRELIMINARY NOTE ON THE ESSENTIAL OIL BEARING PLANTS GROWING IN KASHMIR, II *I. C. Chopra, K. L. Handa and L. D. Kapoor* 100
- A NEW METHOD FOR THE DETERMINATION OF THE AVERAGE DIAMETER OF TEXTILE FIBRES, FILAMENTS, FINE WIRES, ETC. (WITH THREE TEXT-FIGURES) *Nazir Ahmad and R. L. N. Iyengar* 104

REVIEW

- IMPERIAL BUREAU OF SOIL SCIENCE TECHNICAL COMMUNICATION NO. 43—LAND CLASSIFICATION FOR LAND-USE PLANNING 113
- PLANT QUARANTINE NOTIFICATION 115

PART III (JUNE, 1947)

ORIGINAL ARTICLES

- CITRUS ROOTSTOCK TRIALS IN THE PUNJAB, III. THE INFLUENCE OF DIFFERENT ROOTSTOCKS ON THE VIGOUR AND CROPPING OF MARSH SEEDLESS GRAPEFRUIT (WITH FOUR TEXT-FIGURES) *Sham Singh and R. L. Nagpal* 117
- STUDIES IN *Hibiscus esculentus* (LADY'S FINGER), I. CHROMOSOME AND POLLINATION STUDIES (WITH PLATES III AND IV) *S. S. Purewal and G. S. Randhawa* 129
- DISCOVERY OF THE UREDO-STAGE CONNECTED WITH THE AECIDIA SO COMMONLY FOUND ON SPECIES OF *Berberis* IN THE SIMLA HILLS (WITH PLATES V-VIII) *Raghubir Prasada* 137
- FIELD EXPERIMENTS ON RECLAMATION OF SALT LANDS IN BARAMATI OF BOMBAY DECCAN (WITH PLATES IX-XI AND SIX TEXT-FIGURES) *R. P. Talati* 153
- STUDY OF MOVEMENT OF WATER AND SALTS IN SOILS AT THE AGRICULTURAL RESEARCH STATION, SAKRAND, I *Jethanand J. Chandnani* 175
- STUDY OF MOVEMENT OF WATER AND SALTS IN SOILS AT THE AGRICULTURAL RESEARCH STATION, SAKRAND, II *Jethanand J. Chandnani* 181
- CANNING TRIALS ON FRUITS *Girdhari Lal and N. L. Jain* 187
- PLANT QUARANTINE NOTIFICATIONS 197

PART IV (AUGUST, 1947)

ORIGINAL ARTICLES

- EFFECT OF IRRIGATION AND GROWING RICE ON SALINE SOILS, I. MANGANESE, NITROGEN AND PHOSPHATE STATUS OF SOIL *A. G. Asghar and C. L. Dhawan* 199
- LEAF MID-RIB STRUCTURE OF SUGARCANES AS CORRELATED WITH RESISTANCE TO THE TOP-BORER (*Scirpophaga nivella* F.) (WITH PLATES XII-XIV) *J. Thuljaram Rao* 203

	PAGE
SEASONAL HISTORY AND FIELD ECOLOGY OF THE WOOLLY APHIS IN THE KAMAUN HILLS <i>K. B. Lal and R. N. Singh</i>	211
A LEAF-SPOT DISEASE OF FIG (<i>Ficus carica</i> L.) CAUSED BY <i>Cylindrocladium scoparium</i> MORG. (WITH PLATE XV) <i>P. R. Mehta and S. K. Bose</i>	219
THE ROLE OF 'CUTTINGS' IN THE DISSEMINATION OF FOOT-ROT OF PIPER BETEL <i>R. P. Asthana</i>	223
DETERMINATION OF PRESSURE IN SEALED CANS BY THE SPHEROMETER (WITH TWO TEXT-FIGURES) <i>Sher Singh Mangat</i>	227

REVIEW

THE USE OF HETEROSIS IN THE PRODUCTION OF AGRICULTURAL AND HORTICULTURAL CROPS	232
PLANT QUARANTINE NOTIFICATIONS	232

PART V (OCTOBER, 1947)

ORIGINAL ARTICLES

INVESTIGATIONS ON THE RED LEAF DISEASE IN AMERICAN COTTONS, I. RED LEAF DISEASE IN SIND-AMERICAN COTTONS IN SIND <i>R. H. Dastur and Kanwar Singh</i>	235
MANURIAL REQUIREMENTS OF RICE IN THE CENTRAL PROVINCES (WITH PLATES XVI AND XVII) <i>B. B. Dave</i>	245
A NEW COLORIMETRIC METHOD FOR THE DETERMINATION OF STARCH IN LEAVES AND WOODY TISSUES OF PLANTS <i>J. J. Chinoy</i>	261
AN APPLICATION OF DISCRIMINANT FUNCTION FOR SELECTION IN <i>Durum</i> WHEATS <i>K. M. Simlote</i>	269
STUDIES IN PUNJAB <i>Moth</i> (<i>Phaseolus aconitifolius</i>) (WITH TEN TEXT-FIGURES) <i>H. R. Saini and H. C. Malik</i>	281
THE ORIENTATION OF THE SEEDS IN SPECIES OF <i>Coffea</i> LINN. IN MYSORE (WITH PLATE XVIII) <i>S. V. Venkatarayan</i>	289

PAGE

FIELD-STUDIES ON SUGARCANE BLACK BUG (<i>Macropes excavatus</i> DIST.) IN THE PUNJAB	<i>Khan A. Rahman, Dalbir Singh and Pratap Singh Cheema</i>	291
DAMAGE TO THE WHEAT CROP BY RUST IN RELATION TO VARIETY AND TIME OF SOWING	<i>R. B. Ekbote and Rao Sahib Dr R. J. Kalamkar</i>	297
THE EFFECT OF FROST ON DIFFERENT WHEAT VARIETIES SOWN AT INTER- VALS	<i>R. B. Ekbote and Dhanna Lal</i>	299

RESEARCH NOTE

VERNALIZATION, AN AID IN CROP BREED- ING	<i>R. B. Ekbote</i>	301
---	---------------------	-----

REVIEW

THE NEW GENETICS IN THE SOVIET UNION		303
---	--	-----

PART VI (DECEMBER, 1947)

ORIGINAL ARTICLES

VARIATIONS IN THE PROPERTIES OF THE COTTON FIBRE IN RELATION TO ITS POSITION ON THE SURFACE OF THE SEED, II (WITH NINE TEXT-FIGURES)	<i>Sri Nagabhushana</i>	305
EFFECT OF COMPOSITION ON MOISTURE ABSORPTION PROPERTIES OF JAGGERY	<i>Sri G. Ganapathi Iyer</i>	341
SOME OBSERVATIONS ON THE WATER RELATIONS OF SUGARCANE PLANT IN NORTH BIHAR (WITH FOUR TEXT- FIGURES)	<i>K. L. Khanna and P. C. Raheja</i>	353
THE RELATIVE EFFICIENCY OF WATER REQUIREMENTS IN RELATION TO MANURIAL TREATMENTS	<i>K. L. Khanna and P. C. Raheja</i>	371
THE QUALITY OF THE DRAIN, RIVER AND CANAL WATERS OF THE PUNJAB (WITH SIX TEXT-FIGURES)	<i>A. G. Asghar and C. L. Dhawan</i>	377
A PRELIMINARY NOTE ON THE ESSEN- TIAL OIL-BEARING PLANTS GROWING IN KASHMIR, III	<i>K. L. Handa, L. D. Kapoor and I. C. Chopra</i>	389
A NEW SEEDLING DISEASE OF BRINJALS (WITH TWO TEXT-FIGURES)	<i>S. Y. Padmanabhan</i>	393

INDEX TO VOL. XVII

AUTHORS

A

	PAGE
Agarwal R. R. <i>see</i> Mukerji B. K.	1
Ahmad, Nazir <i>see</i> Gadkari, P. D.	55
——— and Iyenger, R. L. N.—‘ A New Method for the Determination of the Average Diameter of Textile Fibres, Filaments, Fine Wires, etc.’ .	104
Asghar, A. G. and Dhawan, C. L.—‘ The Quality of the Drain, River and Canal Waters of the Punjab ’	377
——— ‘ Effect of Irrigation and Growing Rice on Saline Soils, I. Manganese, Nitrogen and Phosphate Status of Soil ’ .	199
Asthana, R. P.—‘ The Role of ‘ Cuttings ’ in the Dissemination of Foot-rot of Piper Betel ’	223

B

Bhandall, Bir S.—‘ Methods and Factors that Enable a Plant to withstand Transplanting ’	86
Bose, S. K. <i>see</i> Mehta, P. R.	219

C

Chandnani, Jethanand J.—‘ Study of Movement of Water and Salts in Soils at the Agricultural Research Station, Sakrand, I and II ’	175, 181
Cheema, Partap Singh <i>see</i> Rahman, Khan A.	291
Chinoy, J. J.—‘ A New Colorimetric Method for the Determination of Starch in Leaves and Woody Tissues of Plants ’	261
Chopra, I. C., Handa, K. L., and Kapoor, L. D.—‘ A Preliminary Note on the Essential Oil Bearing Plants Growing in Kashmir, II ’	100
——— <i>see</i> Handa, K. L.	389

D

Dalbir Singh <i>see</i> Rahman, Khan A.	291
Das, S.—‘ The Effect of Manuring and Cropping on the Vertical Distribution of Carbonates in Pusa Calcareous Soils ’	14

	PAGE
D	
Dastur, R. H. and Kanwar Singh.—‘Investigations on the Red Leaf Disease in American Cottons, I. Red Leaf Disease in Sind—American Cottons in Sind’	235
Dave, B. B. —‘Manurial Requirements of Rice in the Central Provinces’	245
Dhanna Lal <i>see</i> Ekbote, R. B.	299
Dhawan, C. L. <i>see</i> Asghar, A. G.	199, 377

E	
Ekbote, R. B.—‘Vernalization, an Aid in Crop Breeding’	301
——— and Dhanna Lal.—‘The Effect of Forest on Different Wheat Varieties Sown at Intervals’	299
——— and Kalamkar, R. J.—‘Damage to the Wheat Crop by Rust in Relation to Variety and Time of Sowing’	297

G	
Gadkari, P. D. and Ahmad, Nazir.—‘A Note on the Prediction of Spinning Value of Gaorani (Bani) Cottons’	55

H	
Handa, K. L., Kapoor, L. D. and Chopra, I. C.—‘A Preliminary Note on the Essential Oil-bearing Plants Growing in Kashmir, III’	389
——— <i>see</i> Chopra, I. C.	100
Hedayetullah, S., Roy, K. P., and Sen, S.—‘A study on the Effect of Cultural Factors in Transplant Paddy on the Behaviour of some Plant Characters Influencing the Yield’	69

I	
Iyengar, R. L. N. <i>see</i> Ahmad, Nazir	104
Iyer, G. Ganapathi.—‘Effect of Composition on Moisture Absorption Properties of Jaggery’	341

J	
Jain, N. L. <i>see</i> Lal, Girdhari	187

K

	PAGE
Kalamkar, R. J. <i>see</i> Ekbote, R. B.	297
Kapoor, I. D. <i>see</i> Chopra, I. C.	100
————— <i>see</i> Handa, K. L.	389
Khanna, K. L. and Raheja, P. C.—‘Some Observations on the Water Relations of Sugarcane Plant in North Bihar’	353
————— ‘The Relative Efficiency of Water Requirements in Relation to Manurial Treatments’	371

L

Lal, Girdhari and Jain, N. L.—‘Canning Trials on Fruits’	187
Lal, K. B. and Singh, R. N.—‘Seasonal History and Field Ecology of the Woolly Aphis in the Kamaun Hills’	211

M

Mahajan, L. D.—‘Absorption Power of Plant Materials’	58
Malik, H. C. <i>see</i> Saini, H. R.	94, 281
Mangat, Sher Singh—‘Determination of Pressure in Sealed Cans by the Spherometer’	227
Mehta, P. R. and Bose, S. K.—‘A Leaf-spot Disease of Fig (<i>Ficus carica</i> L.) Caused by <i>Cylindrocladium scoparium</i> Morg.’	219
Momin, A. U.—‘A New Simple Method of Estimating the Moisture Content of Soil <i>in situ</i> ’	81
Mukerji, B. K. and Agarwal, R. R.—‘Studies in Gangetic Alluvium of United Provinces, II. Soils of Sandilar <i>Tahsil</i> in Hardoi District’	1

N

Nagabhushana.—‘Variations in the Properties of the Cotton Fibre in Relation to its Position on the Surface of the Seed, II’	305
Nagpal, R. L. <i>see</i> Singh, Sham	117

P

Padmanabhan, S. Y.—‘A New Seedling Disease of Brinjals’	393
Prasada, Raghubir.—‘Discovery of the Uredo-stage connected with the Aecidia so commonly found on Species of <i>Berberis</i> in the Simla Hills’	137
Purewal, S. S. and Randhawa, G. S.—‘Studies in <i>Hibiscus esculentus</i> (Lady’s Finger), I. Chromosome and Pollination Studies’	129

R

	PAGE
Raheja, P. C. <i>see</i> Khanna, K. L.	335, 371
Rahman, Khan, A., Dalbir Singh and Cheema, Partap Singh—' Field studies on Sugarcane Black Bug (<i>Macropes excavatus</i> Dist.) in the Punjab '	291
Randhawa, G. S. <i>see</i> Purewal, S. S.	129
Rao, J. Thuljaram—' Leaf Mid-rib Structure of Sugarcane as Correlated with Resistance to the Top-borer (<i>Scirpophaga nivella</i> , F.)	203
Roy, K. P. <i>see</i> Hedayetullah, S.	69

S

Saini, H. R. and Malik, H. C.—' Varieties of Lucerne (<i>Medicago sativa</i>) for cultivation in the Punjab '	94
—' Studies in Punjab Moth (<i>Phaseolus aconitifolius</i>)	281
Sen, S. <i>see</i> Hedayetullah, S.	69
Shrikhande, J. G.—' The Biological Decomposition of Green Manures, III. The Chemical Character of Humus in Compost Heaps	25
—' The Biological Decomposition of Green Manures, IV. Loss of Lignin during Aerobic Fermentation '	32
—' Deodorization of Syrup made from Khandsari Molasses and Gur '	63
Simlote, K. M.—' An Application of Discriminant Function for Selection in <i>Durum</i> Wheats '	269
Singh, Kanwar <i>see</i> Dastur, R. H.	235
Singh, Kartar and Singh Sham—' Citrus Propagation Studies—Influence of Different Methods of Budding, after Treatment and Rootstock Vigour on Bud-break, Bud-take, Histology of Bud-union and Size of Budlings in Case of Sweet Orange, Mandarin and Sour Lime '	34
Singh, R. N. <i>see</i> Lal, K. B.	211
Singh, Sham <i>see</i> Kartar Singh	34
—and Nagpal, R. L.—' Citrus Rootstock Trials in the Punjab, III. The Influence of Different rootstocks on the Vigour and Cropping of Marsh seedless Grape fruit '	117

T

Talati, R. P.—' Field Experiments on Reclamation of salt lands in Bara-mati of Bombay Deccan '	153
--	-----

V

Venkatarayan, S. V.—' The Orientation of the Seeds in Species of <i>Coffea</i> Linn. in Mysore '	289
--	-----

SUBJECTS

A

	PAGE
Absorption, moisture, properties of jaggery, effect of composition on	341
Absorption power of plant materials	58
Aecidia so commonly found on species of <i>Berberis</i> in the Simla Hills, discovery of the uredo-stage connected with	137
Aerobic fermentation, loss of lignin during	32
After-treatments and rootstock vigour, on bud-break, bud-take, histology of bud-union and size of budlings in case of sweet orange, mandarin and sour lime, the influence of different methods of budding	34
Agricultural Research Station, Sakrand, study of movement of water and salts in soils at	175,181
Alluvium, Gangetic, of United Provinces, studies in	1
American cottons, investigations on the red leaf disease in	235
Application of discriminant function for selection in <i>durum</i> wheats	269
Average diameter of textile fibres, filaments, fine wires, etc., a new method for the determination of	104

B

Bani cottons <i>see</i> Gaorani cottons	55
Baramati of Bombay Deccan, field experiments on reclamation of salt lands in	153
Behaviour of some plant characters influencing the yield, a study on the effect of cultural factors in transplant paddy on	69
Berberis in the Simla Hills, discovery of the uredo-stage connected with the aecidia so commonly found on species of	137
Betel, piper, the role of 'cuttings' in the dissemination of foot-rot of	223
Bihar, North, some observations on the water relations of sugarcane plant in	353
Biological decomposition of green manures, III. The chemical character of humus in compost heaps	25
<hr/>	
aerobic fermentation	32
Black bug (<i>Macropes excavatus</i> Dist.), sugarcane, in the Punjab, field studies on	291
Bombay Deccan, field experiments on reclamation of salt lands in Baramati of	153
Brinjals, a new seedling disease of	393
Bud-break, bud-take and histology of bud-union and size of budlings, the influence of different methods of budding, after-treatments and root stock vigour on, in case of sweet orange, mandarin and sour lime	34

C

	PAGE
Calcareous soils, Pusa, the effect of manuring and cropping on the vertical distribution of carbonates in	14
Canal, river and drain waters of Punjab, the quality of	377
Canning trials on fruits	187
Cans, sealed, determination of pressure in, by the spherometer	227
Carbonates in Pusa calcareous soils, the effect of manuring and cropping on the vertical distributions of	14
Central Provinces manurial requirements of rice in	245
Chemical character of humus in compost heaps	25
Chromosome and pollination studies in <i>Hibiscus esculentus</i> (lady's finger)	129
Citrus propagation studies	34
———rootstock trials in the Punjab, III. The influence of different rootstocks on the vigour and cropping of marsh seedless grapefruit	117
<i>Coffea</i> Linn. in Mysore, the orientation of the seeds in species of	289
Colorimetric method, a new, for the determination of starch in leaves and woody tissues of plants	261
Composition, effect of, on moisture absorption properties of jaggery	341
Compost heaps, the chemical character of humus in	25
Cotton fibre in relation to its position on the surface of the seed, variations in the properties of	305
Cottons, Gaorani (Bani), a note on the prediction of spinning value of	55
———American, investigations on the red leaf disease in	235
Cropping and manuring effect of, on the vertical distribution of carbonates in Pusa calcareous soils	14
——— and vigour of marsh seedless grapefruit, the influence of different rootstocks on	117
Cultivation in the Punjab, varieties of lucerne (<i>Medicago sativa</i>) for	94
Cultural factors in transplant paddy on the behaviour of some plant characters influencing the yield, a study on the effect of	69
'Cuttings' in the dissemination of foot-rot of piper betel, the role of	223
<i>Cylindrocladium scoparium</i> Morg., a leaf-spot disease of fig (<i>Ficus carica</i> L.) caused by	219

D

Damage to the wheat crop by rust in relation to variety and time of sowing	297
Decomposition, biological, of green manures	25,32
Deodorization of syrup made from <i>khandsari</i> molasses and <i>gur</i>	6

D—contd.

	PAGE
Determination of average diameter of textile fibres, filaments, fine wires etc., a new method for the determination of	104
————— pressure in sealed cans by the spherometer	227
————— starch in leaves and woody tissues of plants a new colorimetric method for	261
Diameter, average, of textile fibres, filaments, fine wires, etc., a new method for the determination of	104
Different methods of budding, after-treatments and rootstocks vigour, on bud-break, bud-take, histology of bud-union and size of budlings in case of sweet orange, mandarin and sour lime, the influence of	34
————— rootstocks, the influence of, on the vigour and cropping of marsh seedless grapefruit	117
————— wheat varieties sown at intervals, the effect of frost on	299
Discovery of the uredo-stage connected with the aecidia so commonly found on species of <i>Berberis</i> in the Simla Hills	137
Discriminant function for selection in <i>durum</i> wheats, an application of	269
Disease, a new seedling, of brinjals	393
————— 'leaf-spot, of fig (<i>Ficus carica</i> L.) caused by <i>Cylindrocladium scoparium</i> Morg.	219
Dissemination of foot-rot of piper betel, the role of 'cuttings' in	223
Distribution, vertical, of carbonates, in Pusa calcareous soils, the effect of manuring and cropping on	14
Drain, river and canal waters of the Punjab, the quality of	377
<i>Durum</i> wheats, an application of discriminant function for selection in	269

E

Ecology, field, and seasonal history of the woolly aphid in the Kamaun Hills	211
Effect of composition on moisture absorption properties of jaggery	341
————— cultural factors in transplant paddy on the behaviour of some plant characters influencing the yield, a study on	69
————— frost on different wheat varieties sown at intervals	299
————— irrigation and growing rice on saline soils, I. Manganese, nitrogen and phosphate status of soil	199
————— manuring and cropping on the vertical distribution of carbonates in Pusa calcareous soils	14
Efficiency, relative, of water requirements in relation to manurial treatments	371
Essential oil bearing plants growing in Kashmir, a preliminary note on	100, 389
Estimating the moisture content of soil <i>in situ</i> , a new simple method of	81

F

	PAGE
Fibres, cotton, variations in the properties of, in relation to its position on the surface of the seed <i>Ficus carica</i> L. see fig.	305
Factors and methods, that enable a plant to withstand transplanting	86
Fermentation, aerobic, loss of lignin during	32
Field ecology and seasonal history of the woolly aphis in the Kamaun Hills	211
----- experiments on reclamation of salt lands in Baramati of Bombay Deccan	153
----- studies on sugarcane black bug (<i>Macropes excavatus</i> Dist.) in the Punjab	291
Filaments, a new method for the determination of average diameter of	104
Fine wires, a new method for the determination of average diameter of	104
Fig (<i>Ficus carica</i> L.), a leaf-spot disease of, caused by <i>Cylindrocladium scoparium</i> Morg.	219
Foot-rot of piper betel, the role of 'cuttings' in the dissemination of	223
Frost, the effect of, on different wheat varieties sown at intervals	299
Fruits, canning trials on	187
Function, discriminant, for selection in <i>durum</i> wheats	269

G

Gangetic alluvium of the United Provinces, studies in	1
Gaorani (Bani) cottons, a note on the prediction of spinning value of	55
Grapefruit, marsh seedless, the influence of different rootstocks on the vigour and cropping of	117
Green manures, the biological decomposition of	25,32
Growing rice on saline soils, effect of irrigation and	199
Gur, deodorization of syrup made from <i>khandsari</i> molasses and	63

H

Hardoi District, soils of Sandila <i>tahsil</i> in	1
<i>Hibiscus esculentus</i> see lady's finger	129
Histology of bud-union and size of budlings in case of sweet orange, mandarin and sour lime, the influence of different methods of budding, after-treatments and rootstock vigour on bud-break, bud-take	34
Humus in compost heaps, the chemical character of	25

I

	PAGE
Influence of different methods of budding, after-treatments and rootstocks vigour on bud-break, bud-take, histology of bud union and size of buddings in case of sweet orange, mandarin and sour lime	34
—————rootstocks on the vigour and cropping of, marsh seedless grapefruit	117
Investigations on the red leaf disease in American cottons, I. Red leaf disease in Sind-American cottons in Sind	235
Irrigation and growing rice on saline soils, effect of	199

Jaggery, effect of composition on moisture absorption properties of . . . 341

K

Kashmir, a preliminary note on the essential oil bearing plants growing in	100,389
<i>Khandsari</i> molasses and <i>gur</i> , deodorization of syrup made from	63
Kamaun Hills, seasonal history and field ecology of woolly aphid in the	211

T

Lady's finger (<i>Hibiscus esculentus</i>), chromosome and pollination studies in	129
Lands, salts, field experiments on the reclamation of	153
Leaf mid-rib structure of sugarcane as correlated with resistance to the top-borer (<i>Scirpophaga nivella</i> F.)	203
Leaf-spot disease of fig (<i>Ficus carica</i> L.) caused by <i>Cylindrocladium scoparium</i> Morg.	219
Leaves and woody tissues of plants, a new colorimetric method for the determination of starch in	261
Lignin, loss of, during aerobic fermentation	32
Loss of lignin during aerobic fermentation	32
Lucerne (<i>Medicago sativa</i>), varieties of, for cultivation in the Punjab	94

M

<i>Macropes excavatus</i> Dist. see sugarcane black bug	291
Mandarin, sweet orange and sour lime, the influence of different methods of budding, after-treatments and rootstock vigour on bud-break, bud-take, histology of bud-union and size of budlings, in case of	34
Manganese, nitrogen and phosphate status of soil	199
Manures, green, the biological decomposition of	25,32

M—*contd.*

	PAGE
Manurial requirements of rice in the Central Provinces	245
——— treatments, the relative efficiency of water requirements in relation to	371
Manuring and cropping effect of on the vertical distribution of carbonates in Pusa calcareous soils	14
Marsh seedless grapefruit, the influence of different rootstock, on the vigour and cropping of	117
<i>Medicago sativa</i> see lucerne	94
Method, a colorimetric, for the determination of starch in leaves and woody tissues of plants	261
——— a new simple, of estimating the moisture content of soil <i>in situ</i>	81
Methods and factors that enable a plant to withstand transplanting	86
Mid-rib, leaf, structure of sugarcane as correlated with resistance to the top-borer (<i>Scirpophaga Nivella</i> F.)	203
Moisture absorption properties of jaggery, effect of composition on	341
——— content of soil <i>in situ</i> , a new simple method of estimating	81
Molasses, khandsari, and <i>gur</i> , deodorization of syrup made from	63
Moth (<i>Phaseolus aconitifolius</i>) studies in Punjab	281
Movement of water and salts in soils at the Agricultural Research Station, Sakrand, study of	175, 181
Mysore, the orientation of the seeds in species of <i>Coffea</i> Linn. in	289

N

New colorimetric method for the determination of starch in leaves and woody tissues of plants	261
—— method for the determination of the average diameter of textile fibres, filaments, fine wires, etc.	104
—— seedling disease of brinjals	393
—— simple method of estimating the moisture content of soil <i>in situ</i>	81
Nitrogen, manganese and phosphate status of soil	199
North Bihar, some observations on the water relations of sugarcane plant in	352
Note on the prediction of spinning value of Gaorani (Bani) cottons	55
—— preliminary, on the essential oil bearing plants growing in Kashmir	109, 389

O

Observations on the water relations of sugarcane plant in North Bihar	353
Orientation of the seeds in species of <i>Coffea</i> Linn. in Mysore	289

F

PAGE

Paddy transport, a study on the effect of cultural factors in	69
<i>Phaseolus aconitifolius</i> see moth	28
Phosphate, manganese and nitrogen status of soil	199
Piper betel, the role of 'cuttings' in the dissemination of foot-rot of	223
Plant characters influencing the yield, a study on the effect of cultural factors in transplant paddy on the behaviour of some	69
—— materials, absorption power of	58
—— methods and factors that enable a, to withstand transplanting	86
Plants, a new colorimetric method for the determination of starch in leaves and woody tissues of	261
——, essential oil bearing, growing in Kashmir	100, 389
Pollination and chromosome studies in <i>Hibiscus esculentus</i> (lady's finger)	129
Position on the surface of the seed, variations in the properties of the cotton fibre in relation to its	305
Prediction of spinning value of Gaorani (Bani) cottons, a note on	55
Preliminary note on the essential oil bearing plants growing in Kashmir	100, 389
Pressure in sealed cans by the spherometer, determination of	227
Propagation studies, citrus	34
Properties, moisture absorption, of jaggery, effect of composition on	341
—— of the cotton fibre in relation to its position on the surface of the seed II, variations in	305
Punjab, citrus rootstock trials in, III	117
——, field studies on sugarcane black bug (<i>Macropes excavatus</i> Dist.) in	291
——, the quality of the drain, river and canal waters of	377
——, varieties of lucerne (<i>Medicago sativa</i>) for cultivation in the	94
——, moth (<i>Phaseolus aconitifolius</i>), studies in	281
Pusa calcareous soils, the effect of manuring and cropping on the vertical distribution of carbonates in	14

Q

Quality of the drain, river and canal waters of the Punjab	377
--	-----

R

Reclamation of salt lands in Baramati of Bombay Deccan, field experiments on	153
Red leaf disease in American cottons, investigations on	235
Relative efficiency of water requirements in relation to manurial treatments	371

R—contd.

	PAGE
Requirements, manurial, of rice in the Central Provinces	245
—————, water, in relation to manurial treatments, relative efficiency of	371
Resistance to the top-borer, leaf mid-rib structure of sugarcane as correlated with	203
Rice in the Central Provinces, manurial requirements of	245
————— on saline soils, effect of irrigation and growing	199
River, drain and canal waters of the Punjab, quality of	377
Role of 'cuttings' in the dissemination of foot-rot of piper betel	223
Root-stock, citrus, trials in the Punjab	117
Rootstock vigour and after-treatments, the different methods of budding, the influence of, on bud-break, bud-take, histology of bud-union and size of budlings in case of sweet orange, mandarin and sour lime	34
Rust in relation to variety and time of sowing, damage to the wheat crop by	297

S

Saline soils, effect of irrigation and growing rice on	199
Salt lands in Baramati of Bombay Deccan, field experiments on reclamation	153
Salts and water in soils at the Agricultural Research Station, Sakrand, study of movement of	175, 181
Sandila tahsil in Hardoi District, soils of	1
<i>Scirpophaga nivella</i> F. <i>see</i> top-borer	203
Sealed cans, determination of pressure in, by the spherometer	227
Seasonal history and field ecology of the woolly aphis in the Kumaun Hills	211
Seed, variations in the properties of the cotton fibre in relation to its position on the surface of	305
Seedling disease of brinjals, a new	393
Seedless grape fruit, marsh, influence of different rootstocks on the vigour and cropping of	117
Seeds in species of <i>Coffea</i> Linn. in Mysore, the orientation of	289
Selection in <i>durum</i> wheats, an application of discriminant function for	269
Simla Hills, discovery of the uredo-stage connected with the aecidia so commonly found on species of <i>Berberis</i> in	137
Sind-American cottons, red leaf disease in	235
Sind, red leaf disease in Sind-American cottons in	235

S—contd.

PAGE

Size of buddings, influence of different methods of budding, after treatments and rootstock vigour on	34
Soil <i>in situ</i> , a new simple method of estimating the moisture content of	81
Soil, manganese, nitrogen and phosphate status of	199
Soils at the Agricultural Research Station, Sakrand, study of movement of water and salts in	175, 181
— of Sandila <i>tahsil</i> in Hardoi District	1
— calcareous, Pusa, the effect of manuring and cropping on the vertical distribution of carbonates in	14
Soils, saline, effect of irrigation and growing rice on	199
Some plant characters influencing the yield, a study on the effect of cultural factors in transplant paddy on the behaviour of	69
Sour lime, mandarin and sweet orange, the influence of different methods of budding, after treatments and rootstock vigour on bud-break, bud-take, histology of bud-union and size of budlings, in case of	34
Sowing, time of, damage to the wheat crop by rust in relation to variety and	297
Sown at intervals, different wheat varieties, effect of frost on	299
Species of <i>Berberis</i> in the Simla Hills, discovery of the uredo-stage connected with the aecidia so commonly found on	137
— <i>Coffea</i> Linn. in Mysore, the orientation of the seeds in	289
Spherometer, determination of pressure in sealed cans by	227
Spinning value of Gaorani (Bani) cottons, a note on the prediction of	55
Status, manganese, nitrogen and phosphate of soil	199
Strach in leaves and woody tissues of plants, a new colorimetric method for the determination of	261
Structure, leaf mid-rib, of sugarcane as correlated with resistance to the top-borer	203
Studies in Gangetic alluvium of the United Provinces, II. Soils of Sandila <i>tahsil</i> in Hardoi District	1
— in <i>Hibiscus esculentus</i> (lady's finger), I. Chromosome and pollination studies	129
— in Punjab moth (<i>Phaeocolus aconitifolius</i>)	281
Study of movement of water and salts in soils at the Agricultural Research Station, Sakrand	175, 181
— on the effect of cultural factors in transplant paddy on the behaviour of some plant characters influencing the yield	69
Sugarcane, leaf mid-rib structure of, as correlated with resistance to the top-borer (<i>Scirpophaga nivella</i> F.)	203

S—contd.

	PAGE
Sugarcane black bug (<i>Macropes excavatus</i> Dist.) in the Punjab, field studies on	291
——— plant in North Bihar, some observations on the water relations of	353
Surface of the seed, variations in the properties of the cotton fibre in relation to its position on	305
Sweet orange, mandarin and sour lime, the influence of different methods of budding, after-treatments and rootstock vigour on budbreak, bud-take, histology of bud-union and size of budlings, in case of	34
Syrup made from <i>khandsari</i> molasses and <i>gur</i> , deodorization of	63

T

Textile fibres, filaments, fine wires, etc., a new method for the determination of average diameter of	104
Time of sowing, damage to the wheat crop by rust in relation to variety	297
Tissues, woody, of plants, a new colorimetric method for the determination of starch in leaves and	261
Top-borer (<i>Scirpophaga nivella</i> F.), leaf mid-rib structure of sugarcane as correlated with resistance to	203
Transplanting, methods and factors that enable a plant to withstand	86
Transplant paddy, a study of the effect of cultural factors in	69
Trials, canning, on fruits	187
——— citrus rootstocks, in the Punjab	117

U

United Provinces, studies in Gangetic alluvium of	1
Uredo-stage connected with the aecidia so commonly found on species of <i>Berberis</i> in the Simla Hills, discovery of	137

V

Value, Spinning, of Gaorani (Bani) cottons, prediction of	55
Variations in the properties of the cotton fibre in relation to its position on the surface of the seed	305
Varieties, of lucerne (<i>Medicago sativa</i>) for cultivation in the Punjab	94
Varieties. wheat, shown at intervals, effect of frost on	299
Variety and time of sowing, damage to the wheat crop by rust in relation to	297

V—contd.

	PAGE
Vertical distribution of carbonates in Pusa calcareous soils, the effect of manuring and cropping on	14
Vigour and cropping of marsh seedless grapefruit, the influence of different root stocks on	117
Vigour, rootstocks, influence of different methods of	34

W

	PAGE
Water and salts in soils at the Agricultural Research Station, Sakrand, study of movement of	175, 181
— relations of sugarcane plant in North Bihar, some observations on	353
— requirements in relation to manurial treatments, the relative efficiency of	371
Waters of the Punjab, the quality of the Drain, river and canal	377
Wheat crop, damage to, by rust in relation to variety and time of sowing	297
— — — — different varieties, sown at intervals, effect of frost on	299
Wheats, <i>durum</i> , an application of discriminant function for selection in	269
Withstand transplanting, methods and factors that enable a plant to	86
Woody tissues of plants, a new colorimetric method for the determination of starch in leaves and	261
Woolly aphids in the Kumaun Hills, seasonal history and field ecology of	211

Y

Yield, a study on the effect of cultural factors in transplant paddy on the behaviour of some plant characters influencing	69
--	----

Publications Committee

SARDAR BAHADUR SIR DATAR SINGH, Kt., F.R.S.A.,
Vice-Chairman, Indian Council of Agricultural Research

D. R. SETHI, C.I.E., I.A.S., *Agricultural Development Commissioner with the Government of India*

R. L. SETHI, I.A.S., *Agricultural Commissioner with the Government of India*

P. N. NANDA, M.R.C.V.S., *Animal Husbandry Commissioner with the Government of India*

J. N. MUKERJEE, C.B.E., D.Sc., F.N.I., F.R.A.S.B., F.C.S., *Director, Indian Agricultural Research Institute, New Delhi*

G. D. BHALERAO, Ph.D., D.Sc., F.Z.S., F.R.N.S., F.A.Sc., *Director, Indian Veterinary Research Institute, Mukteswar*

K. C. SEN, D.Sc., *Director, Indian Dairy Research Institute, Bangalore*

S. SWALLEHEY, Ph.D., *Head of the Department of Agriculture, Muslim University, Aligarh*

JAMES N. WARNER, Head of the Department of Animal Husbandry and Dairying, Allahabad Agricultural Institute, Allahabad

BIRBAL SAHNI, M. A., Sc.D. (CANTAB.), D.Sc. (LOND.), F.R.S., *Professor of Botany, Lucknow University*

HEM SINGH PRUTHI, M.Sc., Ph.D., Sc.D. (CANTAB.), F.R.A.S.B., F.N.I., *Plant Protection Adviser to the Government of India*

Z. R. KOTHAVALLA, B.Ag., B.Sc., N.D.D., *Dairy Development Adviser to the Government of India*

G. S. CHEEMA, D.S., C.I.E., I.A.S., *Fruit Development Adviser to the Government of India*

BAINI PRASAD, D.Sc., F.R.S.E., F.R.A.S.B., F.Z.S., F.L.S., F.N.I., M.B.O.U., *Fisheries Development Adviser to the Government of India*

S. M. SRIVASTAVA, I.C.S., *Secretary, Indian Council of Agricultural Research*

Editor

U. N. Chatterjee, D.Phil., D.Sc., F.N.A.

The Editorial Board in its work of examining papers received for publication, is assisted in an honorary capacity by a large number of scientists working in various parts of India.

Articles intended for the *Indian Journal of Agricultural Science* should be accompanied by short popular abstracts of about 330 words each.

In the case of botanical and zoological names the International Rules of Botanical Nomenclature and the International Rules of Zoological Nomenclature should be followed.

Reference to literature, arranged alphabetically according to author's names, should be placed at the end of the article, the various references to each author being arranged chronologically. Each reference should contain the year of publication, title of the article, the abbreviated title of the publication, volume and page. In the text, the reference should be indicated by the author's name, followed by the year of publication enclosed in brackets, when the author's name occurs in the text, the year of publication only need be given in brackets. If reference is made to

Editorial communications including books and periodicals for review should be addressed to the Secretary, Indian Council of Agricultural Research, Publication Section, New Delhi.

Communications regarding subscription and advertisements should be addressed to the Manager of Publications, Civil Lines, Delhi.

Instructions to Authors

several articles published by one author in a single year, these should be numbered in sequence and the number quoted after year both in the text and in the collected references.

If a paper has not been seen in original it is safe to state 'original not seen'.

Sources of information should be specifically acknowledged.

As the format of the journals has been standardized, the size adopted being crown quarto (about $7\frac{1}{4}$ in. \times $9\frac{1}{2}$ in. cut), no text figure, when printed, should exceed $4\frac{1}{2}$ in. \times 5 in. Figures for plates should be so planned as to fill a crown quarto plate, the maximum space available for figures being $5\frac{1}{2}$ in. \times 8 in. exclusive of that for letter press printing.

Copies of detailed instructions can be had from the Secretary, Indian Council of Agricultural Research, New Delhi.

Editorial Board

J. N. MUKERJEE, C.B.E., D.Sc., F.N.I., F.R.A.S.B., F.C.S., *Director, Indian Agricultural Research Institute, New Delhi*

BIRBAL SAHNI, M.A., Sc.D. (CANTAB.), D.Sc. (LOND.), F.R.S., *Professor of Botany, Lucknow University*

G. S. CHEEMA, D.Sc., C.I.E., I.A.S., *Fruit Development Adviser to the Government of India*

P. V. SUKHATME, Ph.D., D.Sc. (LOND.), F.N.I., *Statistical Advisor, Indian Council of Agricultural Research*

U. N. CHATTERJEE, D. PHIL., D.Sc., F.N.A., *Editor, Indian Council of Agricultural Research*